



## Standby Power Cummins Diesel Generator 50Hz 41kVA Water Cooling

Our Product Introduction

### Basic Information

- Place of Origin: CHINA
- Brand Name: DELLENT
- Certification: CE/ISO9001
- Model Number: DE-C44
- Minimum Order Quantity: 1 pc
- Price: bargain face-to-face
- Packaging Details: PLASTIC WRAP OR PLYWOOD CASE
- Delivery Time: 20-30 DAYS
- Payment Terms: L/C, T/T
- Supply Ability: 1 MONTH 600PCS



### Product Specification

- Name: Cummins Diesel Generator 50Hz
- Cooling System: Water-Cooling System
- Frequency: 50Hz
- Fuel Type: Diesel
- Prime Power: 40kVA/32kW
- Standby Power: 44kVA/35kW
- Speed: 1500rpm
- Engine Model: 4BTA3.9-G1
- Warranty: 12 Months/1000 Hours
- Highlight: **Standby Power Cummins Diesel Generator, Cummins Diesel Generator 50Hz, 50Hz Diesel Generator**

for more products please visit us on [dellentpower.com](http://dellentpower.com)

## Product Description

# Cummins 41kVA Standby Power 50Hz cummins diesel generator

## PRODUCT

1. Diesel generators are strong-built, ideal for emergency back-up, job sites and industrial applications.
2. Powered by reliable air/water cooled diesel generators sets, industrial grade, great fuel efficiency, less maintenance, long operating life.
3. Strong technology and high-quality personnel, continuous innovation and perfect management.



## Cummins Diesel Generator

| Generator Set Specification |        |         |
|-----------------------------|--------|---------|
| Model                       | DE-C44 |         |
| Max. Power                  | kVA    | 41      |
|                             | kW     | 33      |
| Rate Power                  | kVA    | 38      |
|                             | kW     | 30      |
| Frequency                   | Hz     | 50      |
| Rate Voltage                | V      | 400/230 |
| Rate Current                | A      | 54.1    |

## Dongfeng Cummins 4BT3.9-G1

| Engine Specification     |                                   |      |
|--------------------------|-----------------------------------|------|
| Engine Manufacturer      | Dongfeng Cummins Engine Co., Ltd. |      |
| Engine Brand             | Cummins                           |      |
| Engine Model             | 4BT3.9-G1                         |      |
| No. of Cylinder          | 4 Cylinder in line                |      |
| Aspiration               | Turbocharged                      |      |
| Governor                 | Mechanical                        |      |
| Engine Max. Output Power | kW                                | 39.6 |
| Displacement             | L                                 | 3.9  |
| Compression Ratio        | 17.3 : 1                          |      |
| Starting Voltage         | V                                 | 24   |

|                                                                                                                                                                                                               |                      |      |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------|------|
| Bore                                                                                                                                                                                                          | mm                   | 102  |
| Stroke                                                                                                                                                                                                        | mm                   | 120  |
| Lubrication Oil Capacity                                                                                                                                                                                      | L                    | 11   |
| Intake Air Flow                                                                                                                                                                                               | M3/Min               | 4.13 |
| Fuel Consumption at 100% Load                                                                                                                                                                                 | L/H                  | 9.3  |
| Control Panel Specification                                                                                                                                                                                   |                      |      |
| Controller Brand                                                                                                                                                                                              | Deepsea              |      |
| Controller Model                                                                                                                                                                                              | DSE6120              |      |
| Breaker Brand                                                                                                                                                                                                 | 63                   |      |
| Emergency Stop Button                                                                                                                                                                                         | Supply               |      |
| Automatic Mains Fail (AMF)                                                                                                                                                                                    | Supply               |      |
| Fuel Level                                                                                                                                                                                                    | Supply               |      |
| Automatic Transfer Switch                                                                                                                                                                                     | ATS as optional part |      |
| The control panel supply the full protection with Alarm and Shutdown of the diesel generator include High Temp, Low Oil Pressure, Over / Under Speed, Over Load, Start / Stop Fail, Under / Over Voltage etc. |                      |      |
| Optional controller: Each model of Deepsea, Smartgen, ComAp brand controller.                                                                                                                                 |                      |      |

#### . Why Choose Us:

**D**edicated

We are DEDICATED to meet Customers' need.

**E**nthusiasm

We respond to our Customers' ENTHUSIASM

**L**oyalty

We cherish our Customers' LOYALTY

**L**uxury

We aim to establish our own LUXURY brand

**E**fficient

We offer our EFFICIENT service

**N**ewest

We adopt NEWEST technologies for products

**T**rust

We strive for winning the TRUST from Customers

#### . QUALIFICATION CENTIFICATE:



## . FACTORY INTERIOR:



**Fuan Dellent Electric & Machinery Co., Ltd.**



+8613706938606



jennifer@dellent.com



dellentpower.com

NO.7,JINYE ROADTIEHU INDUSTRIAL AREA CHENGYANG TOWN, FUAN  
CITY,NINGDE CITY,FUJIAN.CHINA