



33kVA Deutz Diesel Generator Set 3 Phase Soundproof Open Type Standby Power 36kVA

Our Product Introduction

Basic Information

- Place of Origin: CHINA
- Brand Name: DELLENT
- Certification: CE ISO
- Model Number: DE-DD41
- Minimum Order Quantity: 1*20GP CONTAINER
- Price: face to face
- Packaging Details: PLASTIC WRAP
- Delivery Time: 30 DAYS
- Payment Terms: L/C, T/T, Western Union
- Supply Ability: 500 PCS PER MONTH



Product Specification

- Name: 3 Phase Diesel Generator 33kVA
- Cooling System: Water Cooling
- Frequency: 60HZ
- Insulation Class: H
- Controller: Smartgen/Deepsea/ComAp
- Noise Level: ≤75dB(A)
- Phase: Three Phase
- Power: Diesel Generator
- Protection Grade: IP23
- Prime Power: 30kW/37.5kVA
- Standby Power: 33kW/41kVA
- Highlight: **33kVA Deutz Diesel Generator,
Deutz Diesel Generator Set,
3 Phase Diesel Generator 33kVA**

for more products please visit us on dellentpower.com

Product Description

High Commercial Deutz33kVA Generator , BFM3-G2 Engine Diesel Generator ,
Light: CE Deutz 33kva Generator ,60HZ

.PRODUCT DESCRIPTION

33kVA Deutz Diesel Generator Set 3 Phase Soundproof Open Type Standby Power 36kVA

Product Introduce:

Deutz engine diesel generator we have all series from rated 20kva to 750kva.

Application fields:

Diesel generator are used in any situation where a reliable backup power source is necessary to maintain continuity of operations.

For example:

Healthcare,Data Centers,Telecommunications,Construction,Manufacturing,Oil and Gas,Military,Residential electricity.

Advantage of our Deutz diesel generator :

Deutz diesel generator have a sturdy housing

Longer lifespan

Lower maintenance costs

Lower noise level

Faster delivery time

Better team service

Higher level technical support.



Product parameters:

Engine Model		BFM3-G2
No.of Cylinder		4 Cylinder in line
Bore	mm	98
Stroke	mm	105
Displacement	L	3.168
Cooling Fan Air Flow	m3/min	78.66666667
Compress Air Flow	m3/min	3.333333333
Exhaust Gas Flow	m3/min	6.583333333
Exhaust Gas Temperature		530
Lubrication Oil Capacity	L	7.5
Cooling Water Capacity	L	4.8
Starting Voltage	V	12
Engine Max.Output Power	kW	38

Alternator	
Alternator Brand	Stamford

Rate Output	kVA	33
Frequency	Hz	60
Altitude	M	≤1000
Insulation		Class H
Protection Grade		IP23
Alternator for choice	We also have Leroy Somer, Marathon, Mecc Alte and Chinese brand Brushless alternator for your choice.	

. Why Choose Us:

- D**edicated
We are DEDICATED to meet Customers' need.
- E**nthusiasm
We respond to our Customers' ENTHUSIASM
- L**oyalty
We cherish our Customers' LOYALTY
- L**uxury
We aim to establish our own LUXURY brand
- E**fficient
We offer our EFFICIENT service
- N**ewest
We adopt NEWEST technologies for products
- T**rust
We strive for winning the TRUST from Customers

. QUALIFICATION CERTIFICATE:



. FACTORY INTERIOR:



If you need Deutz generator with other models technical data, kindly contact us for catalogues!



Fuan Dellent Electric & Machinery Co., Ltd.



+8613706938606



jennifer@dellent.com



dellentpower.com

NO.7,JINYE ROADTIEHU INDUSTRIAL AREA CHENGYANG TOWN, FUAN
CITY,NINGDECITY,FUJIAN.CHINA