



## Standby Power Ricardo Diesel Generator 22kVA 18kW 50Hz With 4 Cylinder In Line

Our Product Introduction

### Basic Information

- Place of Origin: CHINA
- Brand Name: DELLENT
- Certification: CE/ISO9001
- Model Number: DE-W22
- Minimum Order Quantity: 1\*20GP
- Price: face to face
- Packaging Details: PLASTIC WRAP OR PLYWOOD CASE
- Delivery Time: 30 DAYS FROM DEPOSIT RECEIVED
- Payment Terms: L/C, T/T
- Supply Ability: 500 PCS PER MONTH



### Product Specification

- Name: Ricardo Diesel Generator 22kVA
- Frequency: 50Hz
- Engine Brand: Ricardo
- Engine Model: 4YT23-20D
- No. Of Cylinder: 4 Cylinder In Line
- Rated Speed: 1500rpm
- Voltage: 400V/230V
- Warranty: 12 Months
- Controller: Deepsea/ ComAp/ Smartgen
- Prime Power: 16kW/20kVA
- Standby Power: 18kW/22kVA
- Highlight: **Standby Power Ricardo Diesel Generator, Ricardo Diesel Generator 22kVA, 22kVA Diesel Generator**

for more products please visit us on [dellentpower.com](http://dellentpower.com)

# 50Hz 18kW 22kVA Standby Power of Ricardo Diesel Generator

## . PRODUCT DESCRIPTION

50Hz 18kW 22kVA Standby Power of Ricardo Diesel Generator  
 125kVA Diesel Generator Powered by Ricardo Diesel Engine:

Model		DE-W22
Max. Power	kVA	22.0
	kW	18.0
Rate Power	kVA	20.0
	kW	16.0
Frequency	Hz	50
Rate Voltage	V	400/230
Rate Current	A	28.87

### Ricard Diesel Engine:

Engine Manufacturer		Kofo
Engine Brand		Ricardo
Engine Model		4YT23-20D
No. of Cylinder		4 Cylinder in line
Aspiration		Turbocharger and After-cooled
Governor		Mechanical
Engine Max. Output Power	kW	20
Displacement	L	2.31
Starting Voltage	V	24
Bore	mm	88
Stroke	mm	95
Lubrication Oil Capacity	L	240

### Specification of Control Panel:

Controller Brand		Smartgen
Controller Model		HGM6120N
Breaker Brand		Delixi
Breaker Capacity	A	250
Battery Charger		Smartgen
Emergency Stop Button		Supply
Automatic Mains Fail (AMF)		Supply
Fuel Level		Supply
Automatic Transfer Switch		ATS as optional part
Mains Monitor		Supply with DELLENT Function

The control panel supply the full protection with alarm and shutdown of the diesel generator include Start-up fault (generator set shutdown), High coolant temperature (alarm and generator set shutdown), Low oil pressure (alarm and generator set shutdown), Low fuel level (alarm), Low cooling fluid level alarm (as optional), Overload (alarm and generator set shutdown), Battery voltage high (alarm).

Optional controller: Each model of Deepsea, Smartgen, ComAp brand controller.



. Why Choose Us:

# Dedicated

We are DEDICATED to meet Customers' need.

# Enthusiasm

We respond to our Customers' ENTHUSIASM

# Loyalty

We cherish our Customers' LOYALTY

# Luxury

We aim to establish our own LUXURY brand

# Efficient

We offer our EFFICIENT service

# Newest

We adopt NEWEST technologies for products

# Trust

We strive for winning the TRUST from Customers

## . QUALIFICATION CERTIFICATE:



## . FACTORY INTERIOR:



**Fuan Dellent Electric & Machinery Co., Ltd.**

+8613706938606

jennifer@dellent.com

dellentpower.com

NO.7,JINYE ROADTIEHU INDUSTRIAL AREA CHENGYANG TOWN, FUAN CITY,NINGDECIY,FUJIAN.CHINA

