

CHINA

CE ISO

1PC

DE-P1375

face to face PLASTIC WRAP

30 DAYS

DELLENT-PERKINS

500 PCS PER MONTH

1250kVA Perkins Diesel Generator 1000 kW Perkins 4012-46TWG2A For Outdoor

Basic Information

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity:
- Price:
- Packaging Details:
- Delivery Time:
- Payment Terms: L/C, T/T
- Supply Ability:



Product Specification

• Name:

• Frequency:

Alternator:

Phase:Brand:

• Type:

Controller:Engine Model:

• Highlight:

• Prime Power:

• Standby Power:

Cooling System:

1250 Kva Perkins Generator Water Cooling 50HZ Alternator Three Phase Perkins Diesel Generator Smartgen DSE 4012-46TWG2A 1250kVA/1000kW

- 1230KVA/1000KVV
- 1375kVA/1100kW
 - 1250 Kva Perkins Generator, Perkins Diesel Generator 1000 KW, Perkins 1250 Kva Generator

1250kVA 1000kW With 4012-46TWG2A Of Perkins Generator Set For Outdoor

High Light:

Commercial Perkins 1250kVA Generator, 4012-46TWG2A Engine Diesel Generator,

CE Perkins 1250kva Generator ,50HZ

.PRODUCT DESCRIPTION

1250kVA Industrial 1000kW Perkins Generator Set For Outdoor

Product Introduce:Dellent Power Perkins Series generator powered by the original Perkins engine, it enjoys high stability, reliability, durability, and long life with a wide range of power output. It is widely used in the area of the port, railway, industrial, and mining.

Specification: Model		DE-P1375
	kVA	1375
ax. Power	kW	1100
	kVA	1250
Rate Power	kW	1000
Frequency	Hz	50
Rate Voltage	V	400/230
Rate Current	A	1804.3
Fuel Tank Capacity	L	1000
Dimension For Open-type Genset	mm	5220 X 2130 X 2600
Weight For Open-type Genset	kg	8250
Dimension For Soundproof Genset	mm	12192 X 2438 X 2896
Weight For Soundproof Generator	kg	12300
Noise Level for Soundproof Generator at 7M	dBA	85
Battery for Starting	· · · · ·	Four of Free Maintenance Battery
Specification of Perkins Diesel Engin	e:	
Engine Manufacturer		Perkins
Engine Brand		Perkins
Engine Model		4012-46TWG2A
No. of Cylinder		12 Cylinder V type
Aspiration		Turbocharged
Governor		Electric
Engine Max. Output Power	kW	1217
Displacement	L	45.8
Compression Ratio	,	13.6 : 1
Starting Voltage	V	24
Bore	mm	160
Stroke	mm	190
Lubrication Oil Capacity	L	177.6
Intake Air Flow	M ³ /Min	61.2
Fuel Consumption at 100% Load Specification of Control Panel :	L/H	262
Control Panel Specification		
Controller Brand		Smartgen
Breaker Brand		Delixi
Breaker Capacity (A)		160
Emergency Stop Button		Supply
Automatic Mains Fail (AMF)		Supply
Fuel Level		Supply
Automatic Transfer Switch ATS		ATS as optional part
		ATS as optional part

The control panel supply the full protection with alarm and shutdown of the diesel generator include Start-up fault (generator set shutdown), High coolant temperature (alarm and generator set shutdown), Low oil pressure (alarm and generator set shutdown), Low fuel level (alarm), Low



Advantages:

Reliable Performance: The Perkins engine is known for its reliable performance, making it an ideal choice for powering your generator. With its low fuel consumption and long maintenance intervals, you can rely on this generator to provide stable and uninterrupted power for extended periods.

Quiet Operation: With its advanced noise reduction technology, our generator with Perkins engine operates at low noise levels, making it ideal for use in noise-sensitive environments. This makes it a great choice for residential and commercial use, where noise pollution is a concern.

If you need Perkins generator with other models technical data, kindly contact us for catalogues!
Fuan Dellent Electric & Machinery Co., Ltd.
NO.7, JINYE ROADTIEHU INDUSTRIAL AREA CHENGYANG TOWN, FUAN CITY, NINGDECITY, FUJIAN.CHINA